

AMENDED NO. 72214  
APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF  
NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office FEB 10 2005

Returned to applicant for correction \_\_\_\_\_

Corrected application filed MAR 07 2005

Map filed DEC 10 1982 under 58387

\*\*\*\*\*

The applicant **Ronald B & Sandra L. Adams** hereby make(s) application for permission to change the **Point of diversion Place of use of a portion of water** heretofore appropriated under **Permit #45873 Certificate #12856**

\*\*\*\*\*

1. The source of water is **Underground**
2. The amount of water to be changed **CFS 0.08 Duty 32 AFA**
3. The water to be used for **Irrigation**
4. The water heretofore permitted for **Irrigation**
5. The water is to be diverted at the following point **Within the SW4 SW4 Section 34, Township 19 South, Range 53 East MDB&M, the SW corner of said Section 34 bear S37° 28' 00" W a distance of 1150.00 feet.**
6. The existing permitted point of diversion is located within **NW¼ NW¼ Section 8, T.20S, R.53E MDB&M or at a point from which the NW corner of said Section 8 bears N 62° 22' 36" W a distance of 790.0 Feet.**
7. Proposed place of use **SW4 SW4 and within the NW4 SW4 Section 34 township 19 South Range 53 East M.D.B. & M**
8. Existing place of use **8 acres within the NW¼ NW¼, Sec 8, T. 20S, R.53E. Removing the northern most 6.4 acres within the POU.**
9. Use will be from **Jan 1 to Dec 31** of each year.
10. Use was permitted from **Jan 1 to Dec 31** of each year.
11. Description of proposed works **A Completed and Working Clayton Mark Water System, 300' of well casing, 3HP Pump, 200 gal Epoxy Tank 8" well casing with main Pipe Riser line**
12. Estimated cost of works **\$15,000.00**
13. Estimated time required to construct works **Completed Clayton Mark Water system 300' of well casing 3 HP Pump 200 gal Epoxy Tank 8" well casing with main Pipe Riser line**
14. Estimated time required to complete the application of water to beneficial use **Completed**

72214

15. Remarks: Reff: using maps filed under 58387 & 45873

By John Pitts  
s/ John Pitts, agent  
2120 N Walter Way  
Pahrump, NV 89060

Compared mt/gkl \_\_\_\_\_ lt/gkl \_\_\_\_\_

Protsted \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 45873, Certificate 12856 is issued subject to the terms and conditions imposed in said Permit 45873, Certificate 12856 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 58387 and 72214 shall not exceed 35 acre-feet annually for the irrigation of 7.0 acres within the described place of use.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.08 cubic feet per second, and not to exceed 32.0 acre-feet annually, and not to exceed a yearly duty of 5.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed on or before:

N/A

Water must be placed to beneficial use on or before:

August 31, 2007

Proof of the application of water to beneficial use shall be filed on or before:

October 1, 2007

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office:

this 31st day of August, A.D. 2005

  
State Engineer

Completion of work filed October 29, 2001 under 58387

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed N/A

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

